



**INDUS HOSPITAL & HEALTH NETWORK**  
**PROJECT MANAGEMENT UNIT,**  
**PLOT NO. 32, STREET NO. 36, FIRST FLOOR, I&T CENTER, SECTOR G-10/4,**  
**ISLAMABAD.**  
**TELEPHONE: +92518312595-6**

**Tender Document for Provision of Services**  
**Construction, Repair & Renovation of Yellow Rooms and Incinerator Area**

**Procurement Reference #: IPC/04/01/2025**

<b>Subject of Procurement</b>	<b>Construction, Repair &amp; Renovation of Yellow Rooms and Incinerator Area</b>
<b>Procurement Reference Number</b>	<b>IPC/04/01/2025</b>
<b>Date of Bid Issue</b>	27 <sup>th</sup> April 2025 (Newspaper and website)
<b>Date of Pre-Bid Meeting</b>	30 <sup>th</sup> April 2025 (Wednesday @ 11:30 am PST)
<b>Deadline for Submission of Bids</b>	15 <sup>th</sup> May 2025 (Thursday @ 03:00 pm PST)
<b>Public Bid Opening</b>	15 <sup>th</sup> May 2025 (Thursday @ 03:30 pm PST)

**Queries/Questions shall be sent by email only to:**

**Email Address: [aamir.aslam@tih.org.pk](mailto:aamir.aslam@tih.org.pk)**

**Attention: Aamir Aslam**

*Subject of Procurement and Tender Reference number must be included in email subject title.*

## **Declaration**

Issuance of this bid document does not constitute a contractual commitment on the part of the Indus Hospital & Health Network (IHHN) Project nor does it commit to pay for costs incurred in the submission of a proposal. All costs of the applicant in the preparation and submission of an offer shall be borne by that applicant. IHHN reserves the right to reject any or all proposals and to make no award at all, or to make an award without further discussion or negotiations if it is considered to be in the best interest of the project.

Each bidder is required to submit **Single Stage Two Envelope Proposal**.

Description	Volume
<b>Provision of Services - Construction, Repair &amp; Renovation of Yellow Rooms and Incinerator Area</b>	Details mentioned in Section III

## **Planned procurement schedule (subject to changes) is as follows:**

Activity	Date
a. Bid publish date (Newspaper and IHHN website)	27 <sup>th</sup> April 2025
b. Pre-Bid date	30 <sup>th</sup> April 2025 @ 11:30 am PST
c. Bid closing date	15 <sup>th</sup> May 2025 @ 03:00 pm PST
d. Public bid opening date	15 <sup>th</sup> May 2025 @ 03:30 pm PST
e. Concluding evaluation process	26 <sup>th</sup> May 2025
f. Date of issuing Notification of Award	30 <sup>th</sup> May 2025
g. Contract Signing or Work Order issuance	2 <sup>nd</sup> June 2025

## **Documents making part of the bidding documents:**

Section – I	Instruction to bidders
Section – II	Evaluation Criteria
Section – III	Scope of Work
Section – IV	Delivery Sites and Schedule
Section – V	Price Schedule Form
Section – VI (A & B)	Undertaking on Stamp Paper (A)
	Conflict of Interest Declaration (B)
Section – VII	Contractor Audit and Evaluation Form
Section – VIII	GST Exemption Certificate

## SECTION I – INSTRUCTION TO BIDDERS

### **Introduction**

**Indus Hospital & Health Network (IHHN)** is a Non-Profit organization, which is growing rapidly and expanding its Health Programs all over Pakistan. It has supported health programs in Pakistan since 2007. IHHN provides quality healthcare absolutely free-of-cost to millions of deserving patients through its countrywide network of hospitals in Pakistan. IHHN is now managing multiple tertiary and secondary care Hospitals, Physical Rehabilitation Centers, Regional Blood Centers, Community Health Centers, and various Public Health Programs spread across Pakistan.

IHHN is also a recipient of Malaria and C19RM grants funded by an international organization/donor.

### **Scope of Work**

IHHN intends to acquire services for construction, repair & maintenance, mechanical and electrical works) in 11 Districts of Pakistan as per the scope of work mentioned in Section-III.

*Contractors are encouraged to conduct a site visit to assess the scope of work before submitting their bids.*

### **Eligible Bidders**

This tender is open to all interested bidders meeting the required criteria mentioned in subsequent Sections. Bidders shall not be eligible to bid if they are under a declaration of ineligibility for corrupt and fraudulent practices issued by any company/government or semi-government organization/client/autonomous body etc.

The bidders must meet all essential technical criteria mentioned in the technical sheets under section III. This tender document shall also serve the purpose of pre-qualification of bidders/companies in future for same nature of services.

### **Bid Currency and Cost of Bidding**

All rates shall be quoted in (PKR) Pak Rupees only.

The bidder shall bear all costs associated with the preparation and submission of their bid, and Indus Hospital & Health Network (IHHN) named in this tender document, hereinafter referred to as “IHHN,” will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

### **Requirement & Specification**

The services shall be received as per the requirement specified in Section – III (Scope of Work) and section - IV (Delivery Locations).

Bidders are advised to thoroughly read, understand, and acknowledge the terms of the tender and specifications. Any misunderstanding or misinterpretation of these terms/specifications will be at the bidders' expense, without any liability to IHHN.

### **Conformance to the specification**

Construction materials and brands to be used in CME services/supplies, as quoted by bidders, must be original items/products and not counterfeits or copies of the specified or quoted brands. Where required, IHHN may request the bidders to submit samples of materials during the evaluation process. Furthermore, IHHN reserves the right to prioritize quality and conformity over substandard or non-compliant materials, with any deviation resulting in rejection.

### **Compliance to Code of Conduct**

The bidders and contractors shall comply with the Global Fund's [Code of Conduct for Contractors](#) (As of February 2021 and as amended from time to time).

### **Bid validity period**

The bid validity period is at least Sixty (60) calendar days from the date of the deadline for bid submission. A bid valid for a shorter period shall be rejected by IHHN as non-responsive. In case the above stated bid validity period expires before concluding the evaluation process, IHHN may in

writing solicit for bidder's consent for an extension of the period of validity. The request and the responses thereto shall be made in writing.

#### **Variation of material range and quantities**

IHHN reserves the right to increase or decrease the scope of work without any changes in unit price or other terms & conditions. IHHN shall order for additional work by issuance of a separate Work Order or Purchase Order. The bidder shall fulfill such requirements within the delivery schedule as mutually agreed.

#### **Amendment of Bidding Documents**

At any time prior to the deadline for submission of bids, IHHN for any reason, whether at its own initiative or in response to a clarification requested by an interested bidder, may modify the bidding document by uploading the amended document on IHHN website, which will be binding on all.

In order to allow interested bidders reasonable time in which to take the amendment into account in preparing their bids, IHHN at its discretion, may extend the deadline for the submission of bids.

#### **Use of agreed contract prices by other PRs (of same donor) and IHHN**

Within the contract validity period, the purchaser and its partners under the Pakistan grant portfolio of the donor to fight Covid-19, AIDS, Tuberculosis and Malaria, IHHN may utilize the contract resulting from this procurement process to order additional quantities of items without retendering.

#### **Price variations**

Within the bid validity period, any changes in prices shall not be accepted and any requests from the bidder for a price increments or service unavailability shall be considered as non-performance and thus the work order/contract may lead to termination.

All items in the BoQ shall be deemed to have a monetary value, whether priced or unpriced. In the absence of a unit rate or price against any item, the cost shall be deemed to have been included elsewhere within the Contract Price and the work described to that item shall be executed by the Contractor without any additional payment.

Any additional work other than this BoQ, contractor will take written cost approval before execution, any such work executed without prior written approval will not be entertained.

#### **The Bidding Procedure - Single Stage Two Envelope Procedure**

- a. The bid shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the Financial proposal and the Technical proposal.
- b. Envelopes shall be marked as "FINANCIAL PROPOSAL" and "TECHNICAL PROPOSAL" in bold and legible letters to avoid confusion.
- c. Initially, only the envelope marked "TECHNICAL PROPOSAL" shall be opened publicly.
- d. Envelope marked as "FINANCIAL PROPOSAL" shall be retained in the custody of the procuring agency without being opened.
- e. Procuring agency shall evaluate the Technical proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
- f. No amendments in the Technical proposal shall be permitted during the technical evaluation.
- g. "FINANCIAL PROPOSAL" of the technically qualified bidders shall be opened in presence of the representative of qualified bidder (those who wish to participate).
- h. Financial proposal of bids found technically non-responsive shall be returned un-opened to the respective bidders.
- i. Contract will be awarded to a company who passes the technical criteria and offers the lowest price for works.
- j. Bidder evaluation shall be based on past performance, number of completed projects, and compliance with technical specifications.

The purchaser may award part of the tendered services to the second and third best evaluated bidders at their quoted prices or negotiated prices, in case the best evaluated bidder fails to fulfill all the required services within the desired project timelines.

#### **Pre-bid meeting and request for clarifications**

A pre-bid meeting shall be held at address of **IHHN, Project Management Unit, Office No. 32, First Floor, Street No. 36, I&T Center, Sector G-10/4, Islamabad, on Wednesday 12<sup>th</sup> February 2025 at 11:30 am local time.**

Bidders may also seek clarifications and send questions/queries to the following email address: [aamir.aslam@tih.org.pk](mailto:aamir.aslam@tih.org.pk), attention: Mr. Aamir Aslam, Senior Manager Procurement & Supply Chain, Project Management Unit. The email subject/title should clearly indicate the tender reference number and the subject of the procurement.

*Important Note: Bid shall only be received in the manner prescribed above and no bids are to be sent to the individual email stated above. Any bid sent to the above email will automatically be disqualified.*

A bidder sending a request for clarification should provide full names, company name and address and telephone contacts of the company in the email body. The purchaser shall not respond to anonymous emails. The purchaser shall respond to request for clarifications and questions received not later than three (3) days to the deadline for bid submission.

#### **Bid security or bid bond**

All bids shall be accompanied with a refundable bid security or bid bond of **PKR 200,000/-** in form of Demand Draft (DD), Call Deposit Receipt (CDR) or Pay order in the name of **Indus Hospital & Health Network**, with a validity period of Ninety (90) calendar days.

Bids not accompanied with a valid bid security, in form, amount and duration validity, shall be rejected. Bid security of unsuccessful bidders shall be returned to the bidders after finalization of successful bidder(s).

*The conditions for forfeiture of bid security or bond shall be similar to those specified in the Public Procurement Rules (PPRA), 2004 of Pakistan.*

#### **Copies of the bid to be submitted by the bidder**

The bidder shall submit **one (01) original bid** and all pages of the bid must be numbered in sequence, signed/initialed by the authorized personnel of the bidder.

The key documents of the bid shall in addition to signing/initialing be stamped or sealed. Bids submitted without stamping/sealing and signing/initialing the key document may be rejected.

IHHN reserve the right to reject/accept those bids, which are not contains signing/stamping.

#### **Deadline for submission of bids**

All bids, by hand or by courier, must be received at **Indus Hospital & Health Network (IHHN), Project Management Unit, Plot No. 32, First Floor, Street No. 36, I&T Center, Sector G-10/4, Islamabad, before or on Monday, 24<sup>th</sup> February 2025 at 03:00 pm local time.**

It shall be the responsibility of the bidder to ensure that all bids, whether delivered by hand or by courier services, are received at the mentioned address before the submission deadline. The sealed envelopes shall have the name & address of the bidder, tender reference number and subject of the procurement. If envelopes are not sealed and marked as required, IHHN will assume no responsibility for the misplacement or premature opening of the bid. Any bids sent through emails shall be rejected. Any bid received after the deadline for bid submission shall not be accepted and shall be returned unopened.

#### **Public opening of bids**

Bids shall be opened in the presence of bidder's representatives who choose to attend at **Indus Hospital & Health Network (IHHN), Project Management Unit, Plot No. 32, First Floor, Street No. 36, I&T Center, Sector G-10/4, Islamabad on Monday, 24<sup>th</sup> February 2025 at 03:30 pm local time.**

To avoid overcrowding at the public bid opening meeting, only one representative of a participating bidder shall be allowed to attend meeting.

Bidder shall not be permitted to withdraw a technical or financial bid after the deadline for bid submission and before the public announcement of results, unless the bidder is declared technically unqualified. All financial bids of technically qualified bidders shall be opened, irrespective of whether the bidder has withdrawn from the procurement process or not.

#### **Bids evaluation methodology and criteria**

A bid that substantially complies with the requirements of the evaluation methodology & criteria, specifications/scope of work, material required, time schedule and offers the lowest price, shall be selected for award of contract.

A bid that doesn't substantially meet the requirements of the bid shall be considered non-responsive and shall be rejected.

#### **Contacting the Procuring Agency**

No bidder shall contact IHHN staff or team member(s) on any matter relating to its bid after the deadline for bid submission and before issue of the notification to award. A bidder shall not provide any further information related to the submitted bid after the deadline for bid submission, unless requested by the purchaser. After issuance of the award notification, a bidder may in writing inquire about the status of the procurement process,

Any effort by a bidder to influence IHHN in its decisions on bid evaluation, bid comparison or contract award may result in rejection/disqualification of the bid.

#### **Calculation Error Adjustment**

If where applicable, withholding tax, transportation cost or other indirect cost calculations are not separately shown and stated in the financial proposal, price quoted by the bidder shall be considered as prices inclusive of all taxes and costs.

IHHN shall correct any non-material arithmetic errors in the bid price provided that such corrections do not constitute amendment of quoted unit prices.

If a bidder does not accept the final price based on IHHN's re-computation and correction of errors, his/her bid may be rejected. If there is a discrepancy between words and figures, the amount in words shall prevail.

#### **Purchaser's request for clarifications during bid evaluation**

To assist in evaluation and comparison of bids, IHHN may at its discretion, ask the bidder for a clarification of its Bid and submission of additional supporting information. The request for clarification and the response shall be in writing and shall not seek to change the unit prices and technical specifications of the Bid.

For avoidance of doubt, the purchaser shall not ask for clarifications that results into amendment of the unit prices, material amendment of the technical specifications, Terms of Reference, as well as the Bid Form.

The purchaser shall be at liberty to request for any historical documents from bidders during the bid evaluation process. Historical documents are non-material and shall not constitute change in the technical nature of the bid.

For avoidance of doubt, historical documents are documents and information that existed prior to the public announcement of the bid, and may include and not limited to company registration documents; manufacturers and dealers authorization; firm and material quality certifications; bidder and staff practicing licenses and trading licenses and authorization; previous contracts, contract performance certificates and purchase orders, work orders; construction certifications; bidder's bank information, bank certificates and bank statement; tax registration certificates and status; and company's operating capacity.

#### **Negotiation of prices and delivery schedule**

IHHN may negotiate with the selected bidder(s) to either bring the prices of the selected bidder within the market range, align prices with the previous IHHN contract prices, accommodate offer of discounts and donations and/or finalize the delivery schedule.

### **Award decision**

After identifying the best evaluated bidder (technical + financial) in compliance with evaluation methodology described in this document, IHHN reserves the right to award services (on the basis of evaluation ranking) to the first, second and third ranked bidders up to the maximum of the program's requirements (district wise/province wise).

It shall be compulsory on the bidders to accept the items awarded to them based on the lowest rates against each item quoted by the bidder, failure to do so may lead to forfeiture of the bid money.

### **Delivery date**

All items under this bidding document shall be required as per the specifications/scope of work. The bidder should clearly indicate in their bids/quotes the earliest completion timeline in case they are awarded the WO/Contract.

In case the required work completion/delivery timelines with the best evaluated bidder does not meet the immediate purchaser's demand, then IHHN reserves the right to consider the minimum number of days offered by the second and third best evaluated bidders, even where the quoted price of second and third best evaluated bidders vary from that of the best evaluated bidder.

### **Termination of the procurement process**

IHHN reserves the right to cancel the tender process and reject all bids at any time prior to award of the contract without thereby incurring any liability to the affected bidder(s) or any obligation to provide information on the grounds for the buyer's action.

### **Payment Terms & Taxes**

Payment shall be made after 100% completion of project through Account Payee Cheque after deduction of all applicable taxes at source as per the Income Tax Ordinance 2001 as amended from time to time.

### **Meet or Exceed Requirements in the bid**

The requirements provided in this document are the minimum requirements of IHHN. The applicants shall meet or exceed the requirements provided they offer competitive prices.

In case a bidder exceeds the minimum specifications indicated in the bid or provides alternative specifications and addition supplies and services, the bidder should highlight such information in the bid to enable IHHN to identify the modified specifications and requirements.

In case the bidder's extra specifications and additional accessories come at an additional cost beyond the standard package prices, the extra supplies or services should be highlighted in the bid to enable IHHN to conduct a value-for-money analysis and make a decision.

### **Notification of Award**

IHHN shall issue a Notification of Award to the successful bidder in writing informing about acceptance of the bid. The Notification of Award shall not denote the formation of a contract subject to the signing of a formal contract and/or issue of a Purchase Order. Simultaneously, all bidders who participated in the tender shall be notified that their proposals were unsuccessful.

### **Challenging the Notification of Award**

All bidders shall have a maximum of 24 hours, from the time of receipt of the Notification of Award, within which to seek clarification or challenge the award decision. Prior to signing of a formal contract, IHHN shall endeavor to resolve all complaints, disputes, and issue clarifications thereof within 24 hours from the time of receiving queries from the bidders.

In case IHHN finds the complaint or request for clarification submitted by the bidders to be truthful and/or of material nature, IHHN shall recall the notification of award, at no liability and costs from the notified bidder. IHHN shall review the award decision and issue a new notification of award.

Lodging of a compliant or seeking clarification on an award decision by a bidder may not prevent IHHN from proceeding with the contracting process, issue a purchase order or sign a formal contract, provided that the bidder's query is considered to be non-material and of no consequence to the resulting contract.

### **Performance security or bond**

The selected bidder shall be required to submit the performance bond after issuance of WO/PO in the form of banker's cheque amounting to 10% of the original contract price covering the defect and liability period as mentioned in Scope of Work.

The performance bond shall be released upon satisfactory completion of contractual obligations. Any deductions for liquidated damages will be communicated in advance and justified with documented evidence.

The conditions for forfeiture of bid security and performance bond shall be similar to those specified in the Public Procurement Rules of Pakistan. Where a bid security or bond is retained to serve as the performance bond, the forfeiture conditions applicable to the performance bond shall apply to the bid security.

### **Liquidated Damages**

Liquidated damages of 0.5% of the contract price shall apply per day of delayed completion of services, counted from the stated delivery date agreed in the signed contract. The maximum amount of liquidated damages shall be 10% of the contract price, and thereafter IHHN reserves the right to terminate the contract.

In addition, IHHN reserve the right to cancel part or all liquidated damages upon the bidder's submission of acceptable reasons and supporting documents explaining the reason(s) for delayed performance of the contract.

If IHHN cannot deduct the liquidated damage from pending payments, IHHN shall execute either bid security or performance bond from the guaranteeing institution, deduct the applicable liquidated damage, and return any balance of the funds to the bidder.

### **Defective material, forged documents and Blacklisting of bidders**

Bidders submitting forged documents, supplying counterfeit or defective materials/services shall be blacklisted from participating in any procurement under any grant funded by the common donor to fight COVID-19, AIDS, Tuberculosis and Malaria in Pakistan. IHHN shall send a copy of the blacklisting notice to the federal and provincial Public Procurement Regulatory Authority of Pakistan.

### **Force Majeure**

For the purposes of the Contract, "Force Majeure" shall mean an event or events which are beyond the reasonable control of a Party, and which makes a Party's performance of its obligations hereunder impossible or so impractical as reasonably to be considered impossible in the circumstances, and includes, but is not limited to, war, riots, civil disorder, earthquake, fire, explosion, storm, flood or other adverse weather conditions, strikes, lockouts or other industrial action (except where such strikes, lockouts or other industrial action are within the power of the Party invoking Force Majeure to prevent), confiscation or any other action by government agencies.

1. Force Majeure shall not include
  - (a) Any event which is caused by the negligence or intentional action of a Party or such Party's Sub-contractors or agents or employees; nor
  - (b) Any event which a diligent Party could reasonably have been expected to both:
    - (i) Take into account from the effective date of the Contract; and
    - (ii) Avoid or overcome in the carrying out of its obligations; nor
  - (c) Insufficiency of funds or failure to make any payment required hereunder.
2. The failure of a Party to fulfil any of its obligations hereunder shall not be considered to be a breach of, or default under, the Contract insofar as such inability arises from an event of Force Majeure, provided that the Party affected by such an event has taken all reasonable precautions, due care and reasonable alternative measures, all with the objective of carrying out the terms and conditions of the Contract.
3. A Party affected by an event of Force Majeure shall take all reasonable measures to remove such Party's inability to fulfil its obligations hereunder with a minimum of delay and minimize the consequences of any event of Force Majeure.



4. A Party affected by an event of Force Majeure shall notify the other Party of such event as soon as possible, and in any event not later than twelve (12) hours following the occurrence of such event, providing evidence of the nature and cause of such event, and shall similarly give notice of the restoration of normal conditions as soon as possible.
5. During the period of their inability to perform the Services as a result of an event of Force Majeure, the Contractor shall be entitled to a negotiated payment limited to the costs reasonably and necessarily incurred by them due to Force Majeure period. See examples under SCC for common force majeure situations and how they will be handled.
6. Not later than six (06) hours after the Contractor, as the result of an event of Force Majeure, has become unable to perform a material portion of the Services, the Parties shall consult with each other with a view to agreeing appropriate measures to be taken in the circumstances.

**Dispute settlement**

A dispute shall be settled as per provisions of Pakistan Arbitration Act 1940 (Act No. X of 1940) and Rules made thereunder and any statutory modifications thereto. Any hearing shall be held at the address of IHHN mentioned above.

## SECTION II – EVALUATION CRITERIA

### A) Preliminary Mandatory Criteria:

The following shall be required to prove evidence of preliminary eligibility, and shall be evaluated on a **pass or fail criteria**:-

The bidder shall prepare and submit all supporting documents as per the below Bid evaluation sheet, properly numbered and submitted in the form of a proposal. Details/certification to be provided and numbered as per the below table:

Sr. #	Attributes	Reference page # in Proposal
1	The bid is sealed and submitted in line with the single stage-two envelope bidding procedure i.e. a bid comprises a single package containing two separate envelopes. Each envelope shall contain separately the financial proposal and the technical proposal.	
2	Complete company profile (including name, registered office address, telephone, fax and e-mail address and web address, complete contact details of the contact person, details of branch offices and staff details etc.)	
3	Certificate of company registration or any other legal registration document	
4	Bidder registered with Income Tax, Sales Taxes: NTN, GST registration Certificates - Bidder appears on Active Tax Payer List (ATL) of FBR. Payment will be linked with the active Taxpayer status as per FBR Database (NTN certificate)	
5	Most recent bank statement for the last one (01) year, with the statement date reflecting the month prior to the tender publication.	
6	List of clients, must have at least 03 clients to its credit for such services (CME works). Please provide name, email and contact number of POC in case any verification is required.	
7	Minimum 03 relevant Contracts/POs/WOs of worth PKR 30 million (total) executed during last 3 years (2022 onwards)	
8	Bid is valid for a period of 60 calendar days from the date of the deadline for submission of bids.	
9	Bid accompanied with valid Bid Security of <b>PKR 200,000/-</b> in the form of Demand Draft (DD), Call Deposit Receipt (CDR) or Pay order in the name of Indus Hospital & Health Network.	
10	Undertaking on Stamp paper as per Section VI (A)	
11	Signed Conflict of Interest declaration as per Section VI (B)	
12	PEC Registration Certificate and PEC License (Category C-6, C-5, etc.)	

**B) Technical Evaluation Criteria:**

- (a) The technical responsiveness shall be evaluated by award of marks based on the criteria indicated below, and the pass mark shall be **50**.
- (b) In case only one or two bidders pass technical evaluation, IHHN shall proceed to evaluate financial quotation(s) of the single bidder or the two bidders.
- (c) However, as a last resort, in case no bidder scores 50 and above, the IHHN, at its discretion, may choose to either re-advertise the tender with or without updated requirements or select firm with the highest technical scores, but not less than 30 points having the lowest price within the company(ies) retained for financial evaluation.

Sr. #	Criteria	Details	Marks	Reference page # in Proposal
1	<b>Relevant Experience in Similar Construction &amp; Renovation Projects</b>	<ul style="list-style-type: none"> <li>- 10+ years of experience in Pakistan → <b>20 Marks</b></li> <li>- 5–10 years → <b>15 Marks</b></li> <li>- 3–5 years → <b>10 Marks</b></li> <li>- Less than 3 years → <b>5 Marks</b></li> </ul>	<b>20</b>	
2	<b>PEC Registration &amp; Legal Compliance</b>	<ul style="list-style-type: none"> <li>- Valid <b>PEC Category C-6 or above</b> with Civil/Electrical specialization → <b>10 Marks</b></li> <li>- Active Taxpayer Status (FBR &amp; Local Tax Compliance) → <b>5 Marks</b></li> </ul>	<b>15</b>	
3	<b>Past Projects of Similar Nature</b>	<ul style="list-style-type: none"> <li>- Construction/renovation projects for hospitals/offices/schools etc.:</li> <li>- 5+ similar projects → <b>15 Marks</b></li> <li>- 3–4 similar projects → <b>10 Marks</b></li> <li>- 1–2 similar projects → <b>5 Marks</b></li> <li>- No relevant projects → <b>0 Marks</b></li> </ul>	<b>15</b>	
4	<b>Technical Team Qualification &amp; Experience</b>	<ul style="list-style-type: none"> <li>- <b>Lead Civil Engineer (PEC Registered, BSc Civil with 7+ years' experience)</b> → <b>5 Marks</b></li> <li>- <b>Site Supervisor (DAE Civil with 5+ years' experience)</b> → <b>3 Marks</b></li> <li>- <b>Skilled Labor (Mason, Plumber, Electrician, Carpenter)</b> → <b>4 Marks</b></li> <li>- <b>Certified Safety Officer (HSE certified, 3+ years' experience)</b> → <b>3 Marks</b></li> </ul>	<b>15</b>	
5	<b>Work Plan, Methodology &amp; Timeline</b>	<ul style="list-style-type: none"> <li>- <b>Detailed Work Plan</b> with clear milestones → <b>5 Marks</b></li> <li>- <b>Methodology</b> demonstrating efficiency, material selection &amp; risk mitigation → <b>5 Marks</b></li> <li>- <b>Realistic &amp; Achievable Timeline</b> within project scope → <b>5 Marks</b></li> </ul>	<b>15</b>	
6	<b>Machinery, Equipment &amp; Resource Availability</b>	<ul style="list-style-type: none"> <li>- Owns all required construction equipment (Concrete Mixer, Shuttering, Scaffolding, etc.) → <b>10 Marks</b></li> <li>- Partially owned equipment or rented → <b>5 Marks</b></li> <li>- No clear resource availability → <b>0 Marks</b></li> </ul>	<b>10</b>	
7	<b>Financial Strength &amp; Capacity</b>	<ul style="list-style-type: none"> <li>- <b>Audited financial statements for last 2 years (2022-2023 &amp; 2023-2024)</b> → <b>10 Marks</b></li> </ul>	<b>10</b>	
<b>Total Marks</b>			<b>100</b>	

### SECTION III - SCOPE OF WORK & SPECIFICATION

<b>BOQ FOR CIVIL WORKS</b> <b>Incinerator Area Renovation Work - DADU SINDH</b>			
Sr. #	DESCRIPTION OF ITEM	UNIT	QTY
<b>1</b>	<b>Roof &amp; Floor Repair</b>		
	Replastering of walls/Roof: Rubbing and proper cleaning of eroded plaster, 3 cm thick replastering the surface using rich mortar 1:3 c/s after applying the SBR (Styrene Butadiene Rubber), (7 days of curing)		
1.1	Roof Repair	SFT	160
<b>2</b>	<b>Brick Masonry</b>		
	Brick masonry: proper removing and cleaning the eroded portion of brick wall, repairing the wall portion using burnt bricks of class A having dimension of 9"x4.5"x3" using mortar of 1:4 c/s, (7 days of curing)		
2.1	Brick Masonry with plaster	CFT	50
<b>3</b>	<b>Painting Works</b>		
	Providing & applying Weather Shield Paint (Nippon, Jotun/ICI/Berger) minimum three coats of approved color shade over a coat of two primer on internal surface of buildings, with filling wall putty for preparing the smooth surface. Including all wastages, foldings, tools etc. Complete in all respect and direction by the Engineer. Sample colors for option will be approved by Architect.		
3.1	Matt Emulsion Paint for Walls	SFT	3,680
3.2	Oil Paint on doors and windows	SFT	416
<b>4</b>	<b>False Ceiling</b>		
	Supply and Installation of gypsum board false ceiling 2x2 with all hanging arrangements		
4.1	False Ceiling 2x2	SFT	601
<b>5</b>	<b>Tile Works</b>		
	Providing and Fixing of Ceramic Tiles 8"x8" of Imported Approved Quality with jointing, Cutting, Filling and finishing complete in all respect		
5.1	Tile Works	SFT	100
<b>6</b>	<b>Curtains</b>		
6.1	Supply and Installation of window/doors curtains	SFT	450
<b>7</b>	<b>Electrical Works</b>		
7.1	Electrification work for washroom including wire, duct, switch, LED bulb and holder, exhaust fan. Complete in all respect	Job	1

<b>8</b>	<b>Plumbing Works</b>		
8.1	Plumbing works for washroom including basin, WC, flush tank and fixture accessories, connection to nearby water supply, drainage arrangements, 150-gallon fiber tank, mirror set and waste bins 30 ltr-2 piece. Complete in all respect	Job	1
<b>9</b>	<b>Signboard</b>		
9.1	Visibility plaque (stainless steel engraved plaque of 22"x12" with organizational logos and project details	Nos	1
<b>10</b>	<b>Incinerator RCC Pad</b>		
10.1	Incinerator shifting to RCC Pad through hydraulic crane within 3 KM range	Job	1
10.2	Supply and installation of Lean 1:4:8 for Pad for incinerator are Size: 10'x8'x4"	CFT	26
10.3	Supply and installation of RCC 1:2:4 Pad for incinerator area with double mesh reinforcement of 1/2" bar as main reinforcement Size: 10'x8'x6"	CFT	40

<b>BOQ FOR CIVIL WORKS</b> <b>Incinerator Area Renovation Work - TIMERGARA, LOWER DIR KPK</b>			
<b>Sr.#</b>	<b>DESCRIPTION OF ITEM</b>	<b>UNIT</b>	<b>QTY</b>
<b>1</b>	<b>Paint Works</b>		
	Providing and applying oil paint including internal filling of putty upto full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.		
1.1	Oil paint for incinerator area shade structure	SFT	900
<b>2</b>	<b>MISCELLANEOUS WORKS</b>		
2.1	Existing MS shade sheet replacement with powder coated corrugated sheet and modification as per site condition	SFT	900

BOQ FOR CIVIL WORKS Incinerator Area Renovation Work- DHQ BADIN, SINDH.			
Sr. #	DESCRIPTION OF ITEM	UNIT	QTY
<b>1</b>	<b>Plain Concrete</b>		
	Providing & laying Plain Cement Concrete where required ratio/grade using approved quality ¾” max size graded crushed aggregate with approved quality local river sand including all floor paneling, vibrating leveling, compacting, curing etc., complete in all respect as per drawings, specifications & as per instructions of Consultant / Engineer In-charge		
1.1	PCC 1:2:4 for finish floor 3” thick with steel trowel finish	CFT	275
<b>2</b>	<b>MS shade for Incinerator Area</b>		
2.1	Replacement of existing shed with new MS shed with complete structure and paint finish.	SFT	338

BOQ FOR CIVIL WORKS Incinerator Area Renovation Work- ISLAMABAD			
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY
<b>1</b>	<b>Paint Works</b>		
	Providing and applying oil paint including internal filling of putty upto full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.		
1.1	Oil paint for incinerator area upto full coverage, removal of smoked blacked existing surface	SFT	1,500
<b>2</b>	<b>MISCELLANEOUS WORKS</b>		
2.1	Tiles cleaning and repairing of tiles where needed	SFT	300
2.2	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	3

BOQ FOR CIVIL WORKS Renovation of Yellow Room Area- DHQ BADIN, SINDH.			
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY
<b>A</b>	<b>Dismantling of Existing Floor/Walls</b>		
<b>1</b>	<b>Floor/Walls Demolition</b>		
	Settled existing floor to be demolished and debris to be disposed off, levelling and proper compaction of floor to be done including refilling of soil where needed, Complete in all respect		
1.1	Floor/Walls Demolition, compaction and earthwork	SFT	1,250
<b>B</b>	<b>CONCRETE AND MASONRY WORKS</b>		
<b>1</b>	<b>Plain Concrete</b>		
	Providing & laying Plain Cement Concrete where required ratio/grade using approved quality ¾" max size graded crushed aggregate with approved quality local river sand including all floor paneling, vibrating leveling, compacting, curing etc., complete in all respect as per drawings, specifications & as per instructions of Consultant / Engineer In-charge (SR Cement should be used for all sub structure works).		
1.1	PCC 1:2:4 for finish floor 3" thick with steel trowel finish	CFT	50
1.2	RCC Lintel (3'-6"x0'-6")	Nos	1
<b>2</b>	<b>Brick Masonry</b>		
	Providing and laying first class brick masonry 800 psi, with cement mortar (1:4) for wall with providing proper & equal grooves horizontally and vertically, including scaffolding, curing etc. including cost of 02 parallel reinforcement #3, horizontal bars (G-40) 3'-0" long on every fourth layer of interlocking course. Complete in all respects and as directed by the Engineer In charge.		
2.1	9" thick solid Brick masonry	" " "	250
<b>3</b>	<b>Plaster Work</b>		
	Supply, providing and applying cement sand plaster ratio (1:4) on walls internal sides, including making edges, corners, making provision for windows and doors including curing staging and scaffolding etc. The cost shall include providing and fixing chicken wire mesh with washered nails over all joints / Cuttings of wall complete in all respects and as directed by the Engineer In-charge.		
3.1	¾" thick internal finish plaster	SFT	400
<b>4</b>	<b>Painting Works</b>		
	Providing & applying Weather Shield Paint (Nippon, Jotun/ICI/Berger) minimum three coats of approved color shade over a coat of two primer on internal surface of buildings, with filling wall putty for preparing the smooth surface. Including all wastages, foldings, tools etc. Complete in all respect and direction by the Engineer. Sample colors for option will be approved by Architect.		
4.1	Weather Shield Paint for Walls	SFT	2,000

<b>D</b>	<b>MISCELLANEOUS WORKS</b>		
<b>1</b>	<b>Wooden Partition Replacement</b>		
	Replacement and new installation of existing wooden partition complete in all respect.		
1.1	MDF Wooden Partition	SFT	96
<b>2</b>	<b>M.S Door</b>		
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.		
2.1	Door with paint finish (size: 3'-0"x7'-0") single shutter	JOB	1
<b>3</b>	<b>Air conditioner for Yellow Room</b>		
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent		
3.1	AC 1.5 Ton Inverter type	JOB	1
<b>4</b>	<b>Light Works</b>		
4.1	Supply and installation of 18-watt LED bulb with wiring PVC duct and switch board	Nos	4

<b>BOQ FOR CIVIL WORKS</b> <b>Renovation of Yellow Room Area- CHANDKA HOSPITAL, LARKANA, SINDH</b>			
<b>Sr.#</b>	<b>DESCRIPTION OF ITEM</b>	<b>UNIT</b>	<b>QTY</b>
<b>1</b>	<b>Floor/Walls Demolition</b>		
	Providing and fixing Ceramic Tile with mortar including levelling of floor with concrete where required		
1.1	Floor/Wall Tiles	SFT	520
<b>2</b>	<b>Painting Works</b>		
	Providing & applying Matt Emulsion/Matt Enamel (Nippon, Jotun/ICI/Berger) minimum three coats of approved color shade over a coat of two primer on internal surface of buildings, with filling wall putty for preparing the smooth surface. Including all wastages, foldings, tools etc. Complete in all respect and direction by the Engineer. Sample colors for option will be approved by Architect.		
2.1	Repaint on existing walls	SFT	2,000
<b>3</b>	<b>Signboard</b>		



3.1	Visibility Plaque (Stainless Steel Engraved Plaque of 22"x12" with organizational logo and project detail	Nos	1
<b>4</b>	<b>Air conditioner for Yellow Room</b>		
	Supply and installation of AC 1 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree make		
4.1	AC 1 Ton Inverter type	JOB	1
<b>5</b>	<b>Light Works</b>		
5.1	Supply and installation of 18-watt LED bulb with wiring PVC duct and switch board	Nos	2

<b>BOQ FOR CIVIL WORKS</b> <b>Renovation of Yellow Room Area (SIZE: 12'x9') - TIMERGARA, LOWER DIR</b>			
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY
<b>A</b>	<b>FOUNDATION WORKS</b>		
<b>1</b>	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT) , PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation		
1.1	Foundation Works	Job	1
<b>B</b>	<b>STRUCTURE WORKS</b>		
<b>1</b>	<b>Concrete</b>		
	Providing & laying Reinforced Cement Concrete where required using approved quality 3/4" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.		
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108
<b>2</b>	<b>Block Masonry</b>		
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.		
2.1	6" thick block masonry	SFT	400

2.2	Plaster works	SFT	800
<b>C</b>	<b>FINISHING WORKS</b>		
<b>1</b>	<b>Metal Door</b>		
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer In charge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.		
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1
<b>2</b>	<b>Paint Works</b>		
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.		
2.1	Distemper paint	SFT	908
<b>D</b>	<b>MISCELLANEOUS WORKS</b>		
<b>1</b>	Removal of infectious waste from infectious pits and buried/incinerate to outside hospital location. (Pit size: 10'x15'x10') and earth fill the area for construction of yellow room.	Job	1
2.0	RCC Floor dismantling of pits and laying new floor pits	SFT	336
<b>3</b>	<b>Air conditioner for Yellow Room</b>		
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent		
3.1	AC 1 Ton Inverter type	JOB	1
<b>4</b>	<b>Light Works</b>		
4.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2

<b>BOQ FOR CIVIL WORKS</b> <b>Construction Of Yellow Rooms in <sup>1</sup>QUETTA, <sup>2</sup>SHIKARPUR, <sup>3</sup>SANGHAR, <sup>4</sup>NOSHERA, <sup>5</sup>MARDAN, <sup>6</sup>DERA GHAZI KHAN.</b>			
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY
<b>A</b>	<b>FOUNDATION WORKS</b>		
<b>1</b>	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT) , PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation		
1.1	Foundation Works	Job	1
<b>B</b>	<b>STRUCTURE WORKS</b>		
<b>1</b>	<b>Concrete</b>		
	Providing & laying Reinforced Cement Concrete where required using approved quality 3/4" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.		
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108
<b>2</b>	<b>Block Masonry</b>		
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.		
2.1	6" thick block masonry	SFT	400
2.2	Plaster works	SFT	800
<b>C</b>	<b>FINISHING WORKS</b>		
<b>1</b>	<b>Metal Door</b>		
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20 gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.		
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1
<b>2</b>	<b>Paint Works</b>		

	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.		
2.1	Distemper paint	SFT	908
<b>D</b>	<b>MISCELLANEOUS WORKS</b>		
<b>1</b>	<b>Air conditioner for Yellow Room</b>		
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent		
1.1	AC 1 Ton Inverter type	JOB	1
<b>2</b>	<b>Light Works</b>		
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2

***Important Note: All personal protective equipment (PPE) and safety measures must be adhered to during construction. Ensure the area is properly cordoned off prior to the commencement of construction activities, as needed.***

## SECTION IV – DELIVERY LOCATIONS & SCHEDULE

### **Delivery Location:**

Services shall be required as mentioned in Section – III above. Exact work location and details of POC shall be shared with the successful bidder(s).

The contractor will provide construction schedule and necessary site drawings (where/if applicable) for approval before starting construction. Any cost incurred in the documentation shall borne by the contractor.

### **Completion period & terms:**

Completion date against each site shall be mentioned on Work Order/Contract and shall be counted from the date of issuance of Work Order to the selected bidder.

The maximum acceptable completion period is thirty (30) days, counted from the date of issuance of Purchase Order or Contract Signing to the selected bidder. Bidders unable to meet the maximum acceptable delivery period shall only be considered under exceptional circumstances where other bidders fail to offer competitive and value-for-money bids.

Contractor will provide necessary test reports for construction material & activities i.e. block, steel, concrete cubes from reputed lab at their own expense.

Cleaning of site and removal of debris and other material is contractors' responsibility.

## SECTION IV – PRICE SCHEDULE FORM

Financial Proposal shall include:

- a. The unit and total rates in the Price Schedule.
- b. Taxes, duties and levies charges including transportation, loading & off-loading etc.

**Quotes must clearly mention that “submitted rates are without GST Charges”. IHHN is GST exempted on Supplies (Section VIII for Exemption Certificate).**

BOQ FOR CIVIL WORKS Incinerator Area Renovation Work – DADU, SINDH								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total (Rs.)
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
1	Roof & Floor Repair							
	Replastering of walls/Roof: Rubbing and proper cleaning of eroded plaster, 3 cm thick replastering the surface using rich mortar 1:3 c/s after applying the SBR (Styrene Butadiene Rubber), (7 days of curing)							
1.1	Roof Repair	SFT	160					
2	Brick Masonry							
	Brick masonry: proper removing and cleaning the eroded portion of brick wall, repairing the wall portion using burnt bricks of class A having dimension of 9”x4.5”x3” using mortar of 1:4 c/s, (7 days of curing)							
2.1	Brick Masonry with plaster	CFT	50					
3	Painting Works							
	Providing & applying Weather Shield Paint (Nippon, Jotun/ICI/Berger) minimum three coats of approved color shade over a coat of two primer on internal surface of buildings, with filling wall putty for preparing the smooth surface. Including all wastages, foldings, tools etc. Complete in all respect and direction by the Engineer. Sample colors for option will be approved by Architect.							
3.1	Matt Emulsion Paint for Walls	SFT	3,680					
3.2	Oil Paint on doors and windows	SFT	416					
4	False Ceiling							
	Supply and Installation of gypsum board false ceiling 2x2 with all hanging arrangements							

4.1	False Ceiling 2x2	SFT	601					
<b>5</b>	<b>Tile Works</b>							
	Providing and Fixing of Ceramic Tiles 8"x 8" of Imported Approved Quality with jointing, Cutting, Filling and finishing complete in all respect							
5.1	Tile Works	SFT	100					
<b>6</b>	<b>Curtains</b>							
6.1	Supply and Installation of window/doors curtains	SFT	450					
<b>7</b>	<b>Electrical Works</b>							
7.1	Electrification work for washroom including wire, duct, switch, LED bulb and holder, exhaust fan. Complete in all respect	Job	1					
<b>8</b>	<b>Plumbing Works</b>							
8.1	Plumbing works for washroom including basin, WC, flush tank and fixture accessories, connection to nearby water supply, drainage arrangements, 150-gallon fiber tank, mirror set and waste bins 30 ltr-2 piece. Complete in all respect	Job	1					
<b>9</b>	<b>Signboard</b>							
9.1	Visibility plaque (stainless steel engraved plaque of 22"x12" with organizational logos and project details	Nos	1					
<b>10</b>	<b>Incinerator RCC Pad</b>							
10.1	Incinerator shifting to RCC Pad through hydraulic crane within 3 KM range	Job	1					
10.2	Supply and installation of Lean 1:4:8 for Pad for incinerator are Size: 10'x8'x4"	CFT	26					
10.3	Supply and installation of RCC 1:2:4 Pad for incinerator area with double mash reinforcement of 1/2" bar as main reinforcement Size: 10'x8'x6"	CFT	40					
<b>GRAND TOTAL</b>								

BOQ FOR CIVIL WORKS								
Incinerator Area Renovation Work - TIMERGARA, LOWER DIR KPK								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
1	Paint Works							
	Providing and applying oil paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
1.1	Oil paint for incinerator area shade structure	SFT	900					
2	MISCELLANEOUS WORKS							
2.1	Existing MS shade sheet replacement with powder coated corrugated sheet and modification as per site condition	SFT	900					
				GRAND TOTAL				



BOQ FOR CIVIL WORKS Renovation of Incinerator Area - DHQ Badin								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
1	Plain Concrete							
	Providing & laying Plain Cement Concrete where required ratio/grade using approved quality 3/4” max size graded crushed aggregate with approved quality local river sand including all floor paneling, vibrating leveling, compacting, curing etc., complete in all respect as per drawings, specifications & as per instructions of Consultant/Engineer In-charge							
1.1	PCC 1:2:4 for finish floor 3” thick with steel trowel finish	CFT	275					
2	MS shade for Incinerator Area							
1.2	Replacement of existing shed with new MS shed with complete structure and paint finish.	SFT	338					
GRAND TOTAL								

BOQ FOR CIVIL WORKS Incinerator Area Renovation Work - ISLAMABAD								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	Paint Works							
	Providing and applying oil paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
1.1	Oil paint for incinerator area up to full coverage, removal of smoked blacked existing surface	SFT	1,500					
B	MISCELLANEOUS WORKS							
1.1	Tiles cleaning and repairing of tiles where needed	SFT	300					
1.2	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	3					
				GRAND TOTAL				

BOQ FOR CIVIL WORKS Renovation of Yellow Room Area- DHQ BADIN, SINDH.								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	Dismantling of Existing Floor/Walls							
1	Floor/Walls Demolition							
	Settled existing floor to be demolished and debris to be dispose off, levelling and proper compaction of floor to be done including refilling of soil where needed, Complete in all respect							
1.1	Floor/Walls Demolition, compaction and earthwork	SFT	1,250					
B	CONCRETE AND MASONRY WORKS							
1	Plain Concrete							
	Providing & laying Plain Cement Concrete where required ratio/grade using approved quality ¾” max size graded crushed aggregate with approved quality local river sand including all floor paneling, vibrating leveling, compacting, curing etc., complete in all respect as per drawings, specifications & as per instructions of Consultant / Engineer In-charge (SR Cement should be used for all sub structure works).							
1.1	PCC 1:2:4 for finish floor 3” thick with steel trowel finish	CFT	50					
1.2	RCC Lintel (3’-6”x0’-6”)	Nos	1					
2	Brick Masonry							
	Providing and laying first class brick masonry 800 psi, with cement mortar (1:4) for wall with providing proper & equal grooves horizontally and vertically, including scaffolding, curing etc. including cost of 02 parallel reinforcement #3, horizontal bars (G-40) 3’-0” long on every fourth layer of interlocking course. Complete in all respects and as directed by the Engineer In charge.							
2.1	9” thick solid Brick masonry	“ “ “	250					
1	Plaster Work							
	Supply, providing and applying cement sand plaster ratio (1:4) on walls internal sides, including making edges, corners, making provision for windows and doors including curing staging and scaffolding etc. The cost shall include providing and fixing chicken wire mesh with washered nails over all joints / Cuttings of wall complete in all respects and as directed by the Engineer In-charge.							

1.1	¾" thick internal finish plaster	SFT	400					
<b>2</b>	<b>Painting Works</b>							
	Providing & applying Weather Shield Paint (Nippon, Jotun/ICI/Berger) minimum three coats of approved color shade over a coat of two primer on internal surface of buildings, with filling wall putty for preparing the smooth surface. Including all wastages, foldings, tools etc. Complete in all respect and direction by the Engineer. Sample colors for option will be approved by Architect.							
2.1	Weather Shield Paint for Walls	SFT	2,000					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Wooden Partition Replacement</b>							
	Replacement and new installation of existing wooden partition complete in all respect.							
1.1	MDF Wooden Partition	SFT	96					
<b>2</b>	<b>M.S Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
2.1	Door with paint finish (size: 3'-0"x7'-0") single shutter	JOB	1					
<b>3</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
3.1	AC 1.5 Ton Inverter type	JOB	1					
<b>4</b>	<b>Light Works</b>							
4.1	Supply and installation of 18-watt LED bulb with wiring PVC duct and switch board	Nos	4					
<b>GRAND TOTAL</b>								

<b>BOQ FOR CIVIL WORKS</b> <b>Renovation of Yellow Room Area- CHANDKA, HOSPITAL, LARKANA, SINDH</b>								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
1	<b>Floor/Walls Demolition</b>							
	Providing and fixing Ceramic Tile with mortar including levelling of floor with concrete where required							
1.1	Floor/Wall Tiles	SFT	520					
2	<b>Painting Works</b>							
	Providing & applying Matt Emulsion/Matt Enamel (Nippon, Jotun/ICI/Berger) minimum three coats of approved color shade over a coat of two primer on internal surface of buildings, with filling wall putty for preparing the smooth surface. Including all wastages, folding, tools etc. Complete in all respect and direction by the Engineer. Sample colors for option will be approved by Architect.							
2.1	Repaint on existing walls	SFT	2,000					
3	<b>Signboard</b>							
3.1	Visibility Plaque (Stainless Steel Engraved Plaque of 22"x12" with organizational logo and project detail	Nos	1					
4	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
4.1	AC 1 Ton Inverter type	JOB	1					
5	<b>Light Works</b>							
5.1	Supply and installation of 18-watt LED bulb with wiring PVC duct and switch board	Nos	2					
					<b>GRAND TOTAL</b>			

BOQ FOR CIVIL WORKS								
Renovation of Yellow Room Area (SIZE: 12'x9') - TIMERGARA, LOWER DIR								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6" thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					
C	FINISHING WORKS							
1	Metal Door							

	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.				
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1		
<b>2</b>	<b>Paint Works</b>				
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.				
2.1	Distemper paint	SFT	908		
<b>D</b>	<b>MISCELLANEOUS WORKS</b>				
<b>1</b>	Removal of infectious waste from infectious pits and buried/incinerate to outside hospital location. (Pit size: 10'x15'x10') and earth fill the area for construction of yellow room.				
		Job	1		
2.0	RCC Floor dismantling of pits and laying new floor pits	SFT	336		
<b>2</b>	<b>Air conditioner for Yellow Room</b>				
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent				
2.1	AC 1 Ton Inverter type	JOB	1		
<b>3</b>	<b>Light Works</b>				
3.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2		
<b>GRAND TOTAL</b>					

BOQ FOR CIVIL WORKS CONSTRUCTION OF YELLOW ROOM- QUETTA, BALOCHISTAN.								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6" thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					



<b>C</b>	<b>FINISHING WORKS</b>							
<b>1</b>	<b>Metal Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0” to 1- 0” x 2/16” size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1					
<b>2</b>	<b>Paint Works</b>							
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
2.1	Distemper paint	SFT	908					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
1.1	AC 1 Ton Inverter type	JOB	1					
<b>2</b>	<b>Light Works</b>							
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2					
<b>GRAND TOTAL</b>								

BOQ FOR CIVIL WORKS CONSTRUCTION OF YELLOW ROOM- SHIKARPUR, SINDH.								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6" thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					

<b>C</b>	<b>FINISHING WORKS</b>							
<b>1</b>	<b>Metal Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1					
<b>2</b>	<b>Paint Works</b>							
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
2.1	Distemper paint	SFT	908					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
1.1	AC 1 Ton Inverter type	JOB	1					
<b>2</b>	<b>Light Works</b>							
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2					
<b>GRAND TOTAL</b>								

BOQ FOR CIVIL WORKS CONSTRUCTION OF YELLOW ROOM- SANGHAR, SINDH.								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾” max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4’-0’’x0’-6’’x0’-6’’ for door Size: 42’-0’’x0’-6’’x0’-4’’ for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3” thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6” thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6” thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					

<b>C</b>	<b>FINISHING WORKS</b>							
<b>1</b>	<b>Metal Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
1.1	Steel door with paint finish size: 3'-0"x7'-0"	Nos	1					
<b>2</b>	<b>Paint Works</b>							
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
2.1	Distemper paint	SFT	908					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
1.1	AC 1 Ton Inverter type	JOB	1					
<b>2</b>	<b>Light Works</b>							
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2					
<b>GRAND TOTAL</b>								

**BOQ FOR CIVIL WORKS**  
**CONSTRUCTION OF YELLOW ROOM- NOSHERA, KPK.**

Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6" thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					

<b>C</b>	<b>FINISHING WORKS</b>							
<b>1</b>	<b>Metal Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1					
<b>2</b>	<b>Paint Works</b>							
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
2.1	Distemper paint	SFT	908					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
1.1	AC 1 Ton Inverter type	JOB	1					
<b>2</b>	<b>Light Works</b>							
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2					
<b>GRAND TOTAL</b>								

BOQ FOR CIVIL WORKS CONSTRUCTION OF YELLOW ROOM- MARDAN, KPK.								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically up to wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6" thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					



<b>C</b>	<b>FINISHING WORKS</b>							
<b>1</b>	<b>Metal Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1					
<b>2</b>	<b>Paint Works</b>							
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
2.1	Distemper paint	SFT	908					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
1.1	AC 1 Ton Inverter type	JOB	1					
<b>2</b>	<b>Light Works</b>							
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2					
<b>GRAND TOTAL</b>								

BOQ FOR CIVIL WORKS CONSTRUCTION OF YELLOW ROOM- DERA GHAZI KHAN, PUNJAB.								
Sr.#	DESCRIPTION OF ITEM	UNIT	QTY	Material		Labor		Total
				RATE (Rs.)	AMOUNT (Rs.)	RATE (Rs.)	AMOUNT (Rs.)	
A	FOUNDATION WORKS							
1	Excavation (size: 1'-6"x2'-0"x42'-0" - 127 CFT) in all kinds of soil/floor with disposing off surplus material, 4" thick compacted Stone Soling (171 SFT), PCC SITU (Size: 1'-6"x2'-0" - 126 CFT) and 1:2:4 DPC 2" thick with pudlo (42 RFT) for foundation							
1.1	Foundation Works	Job	1					
B	STRUCTURE WORKS							
1	Concrete							
	Providing & laying Reinforced Cement Concrete where required using approved quality ¾" max size graded crushed aggregate incl. form works fixing and removing, rodding/vibrating, leveling, curing etc. complete in all respect as per drawings, specifications & as per instructions of Engineer In-charge.							
1.1	RCC 1:2:4 Cast in place Lintels & Beams as per size. Size: 4'-0"x0'-6"x0'-6" for door Size: 42'-0"x0'-6"x0'-4" for roof beam	Job	1					
1.2	RCC Precast Girder Roof with 2" screed 1:3:6 having slope and CC Gutter	SFT	108					
1.3	Flooring works with 1:2:4 finish floor 3" thick	SFT	108					
2	Block Masonry							
	Supply and Laying of 6" thick block masonry with cement mortar (1:3) for wall with plaster internal & external, including scaffolding, jointing, curing etc. Complete in all respects and as directed by the Engineer In charge. All blocks to be filled with 1:3:6 concrete having reinforcement 10mm dia vertically upto wall height and horizontally at corners 2'-6" L-Shaped.							
2.1	6" thick block masonry	SFT	400					
2.2	Plaster works	SFT	800					

<b>C</b>	<b>FINISHING WORKS</b>							
<b>1</b>	<b>Metal Door</b>							
	Supplying and fixing light type steel doors for look - ups with angle iron frame of 1- 0" to 1- 0" x 2/16" size and shutter of 20-gauge GI sheet including cost of erection of steel gate and fixing in masonry align with cement concrete 1: 2: 4 etc. complete, as per instructions of Engineer Incharge. The cost shall include redoxide and oil paint. The cost shall include fixing of MS tower bolt.							
1.1	Steel door with paint finish size:3'-0"x7'-0"	Nos	1					
<b>2</b>	<b>Paint Works</b>							
	Providing and applying distemper paint including internal filling of putty up to full coverage making the surface even after scrapping, brushing, cleaning, washing the surface filling the crevices with putty and cracks with filler materials all complete.							
2.1	Distemper paint	SFT	908					
<b>D</b>	<b>MISCELLANEOUS WORKS</b>							
<b>1</b>	<b>Air conditioner for Yellow Room</b>							
	Supply and installation of AC 1.5 Ton in yellow room including connection and functioning. Complete in all respect. Brand: Gree/Haier/Dawlance/TCL or equivalent							
1.1	AC 1 Ton Inverter type	JOB	1					
<b>2</b>	<b>Light Works</b>							
2.1	Supply and installation of 18-watt LED bulb with wiring and PVC duct and switch board	Nos	2					
<b>GRAND TOTAL</b>								

**List of Supplies and Price Schedule Authorized by:**

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Position: \_\_\_\_\_

Date: \_\_\_\_\_  
(DD/MM/YY)

Authorized for and on behalf of:

Company Stamp or Seal:

*[This Price Schedule should be signed by a person with the proper authority to sign documents for the Bidder. It should be included by the Bidder in its bid. The Bidder may reproduce this in landscape format but is responsible for its accurate reproduction].*

## SECTION VI (A) – UNDERTAKING

### UNDERTAKING (Rs. 50 Stamp Paper attested by a notary public)

I/We, M/s \_\_\_\_\_,

do hereby solemnly affirm and declare as under:

- Any acts where IHHN employees and those associated with IHHN work use their positions of power to exploit those we serve are against IHHN very mission, values and standards of conduct. IHHN has a zero-tolerance policy against sexual exploitation, abuse, and Harassment.
- We and our representatives remain prohibit from engagement in sexual exploitation & abuse, and sexual harassment, ensuring measures to prevent and respond to sexual exploitation, abuse & harassment as provided for in IHHN – PSEAH policy.
- We are fully compliant and will comply in the future with the Global Fund's [Code of Conduct for Contractors](#) and [Due Diligence guidelines](#).
- We have never adjudged an insolvent service/advisory/consultancy.
- Our directors/partners have never been declared bankrupt by any court of law.
- We have never been blacklisted or involved in litigation with any client/ organization/ government/ semi-government/ autonomous body.
- Our directors/partners always fulfilled/ obeyed execution of degree or order of any court decree never been dissatisfied against them.
- Our directors/partners have not been convicted of a financial crime, banking frauds mortgage frauds, forgery, bribery, embezzlement, cheque frauds, credit cards frauds, money laundering activities etc.
- We will not solicit, offer, give or receive, or promise or represent to offer, give or receive, fees, gratuities, rebates, gifts, commissions, or other payments, except as disclosed in full to the IHHN, in connection with the procurement process or in contract execution.
- We meet the financial integrity requirement as per applicable laws and regulations.
- We and our representatives comply with all applicable laws and regulations of Islamic Republic of Pakistan, as well as the publicized rules, regulations and policies in our areas of work.
- We and our representatives shall safeguard and protect the rights of all children, irrespective of ability, ethnicity, faith, gender, sexuality and culture. Consistent with the provisions of the ILO Minimum Age Convention (Number 138), we do not employ: (a) children below 14 years of age or, if higher than that age, the minimum age of employment permitted by the law of the country or countries where the performance, in whole or in part, of a contract takes place, or the age of the end of compulsory schooling in that country or countries, whichever is higher; and (b) persons under the age of 18 for work that, by its nature or the circumstances in which it is carried out, is likely to harm the health, safety or wellbeing of such persons (see <http://childrenandbusiness.org/>).

For and on behalf of

## SECTION VI (B) – CONFLICT OF INTEREST DECLARATION

I/We,

---

hereby disclose all of my conflicts of interest and other potentially conflicting interests, including specific financial interests and relationships and affiliations relevant to the procurement of IHHN in any form. This applies to the past 5 years and the foreseeable future. I/We also agree that I/We will not use any confidential information obtained from my activities related to procurement, to further my own or others financial interests.

---

Name & Designation

---

Signature & Stamp

Date Please list any potential conflicts of interest:

- 1)
- 2)
- 3)

## SECTION VII - CONTRACTOR AUDIT AND EVALUATION FORM

### **CONTRACTOR AUDIT AND EVALUATION FORM**

S. No	Documents	Yes	No
1.	Income Taxation Certificate		
2.	General Sales Tax Certificate		
3.	Agency/Distribution Certificate/ Partnership Certificate / Reseller Letter		
4.	In case of Equipment's: Official Service Centres address		

2.) Additional information/comments about the Contractor/ Bidder:

---



---



---

3.) Reviews from Previous Customers:

S. No	Customer	Comments
1		
2		
3		
4		

## **CONTRACTOR INFORMATION FORM**

### **1.) General information about the contractor**

Name of the Contractor: \_\_\_\_\_

Code (For Supply Chain Use ONLY): \_\_\_\_\_

Type: Contractor ☐      Manufacture ☐      Distributor ☐

Contractor Person: \_\_\_\_\_

Alternate Name: \_\_\_\_\_

Parent Contractor Name in case of a distributor: \_\_\_\_\_

Contractor Address: \_\_\_\_\_

\_\_\_\_\_

Tax payer's ID: \_\_\_\_\_

Tax Registration Number: \_\_\_\_\_

Customer Number: \_\_\_\_\_

### **2.) Contacts Information:**

Sr. #	First Name	Last Name	Title	Department	Inactive On
1.					
2.					
3.					
4.					

Telephone: \_\_\_\_\_ Alternate Contact Name: \_\_\_\_\_

Alternate Telephone: \_\_\_\_\_ NTN Number: \_\_\_\_\_



Mobile: \_\_\_\_\_ URL: \_\_\_\_\_

Fax Number: \_\_\_\_\_ Email: \_\_\_\_\_

**3.) Manufacturing Site Details:**

Site Name: \_\_\_\_\_

Country: \_\_\_\_\_

City: \_\_\_\_\_

Province: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Alternate Site Name Address: \_\_\_\_\_

**4.) Payment Details:**

Terms: \_\_\_\_\_ Invoice Currency: \_\_\_\_\_

Payment Currency: \_\_\_\_\_ Payment Method: \_\_\_\_\_

Pay Group: \_\_\_\_\_ **Signature of Contractor:** \_\_\_\_\_

Payment Priority: \_\_\_\_\_

Remittance E-mail: \_\_\_\_\_

Term Date Basis: \_\_\_\_\_

Pay Date Basis: \_\_\_\_\_

## SECTION VIII- TAX EXEMPTION CERTIFICATE



### UNDERTAKING FOR NON-CHARGING OF SALES TAX

UNDER SIXTH SCHEDULE OF SALES TAX ACT. 1990

We would like to inform you that "Indus Hospital & Health Network" is registered as a company limited by guarantee not having share capital (under section 42), incorporation on 23 June 2008 under the Companies ordinance 1984. Capacity available in hospital more than 50 beds.

We would inform you that the Finance Act 2022 has inserted general provision exemption from Sales Tax on supplies to hospital, vide Serial No. 166 of the Sixth Schedule, covering "Goods excluding electricity and natural gas supplied to hospitals run by the charitable hospitals of fifty beds or more."

We hereby confirm that we meet the above criteria and are exempt from Sales tax as per above mentioned provision of Sales Tax Act 1990.

For Indus Hospital & Health Network

A handwritten signature in blue ink, appearing to be 'M. M.', written over a horizontal line.



Head of Finance